



SAFETY DATA SHEET

Conforme to réglementation 453/2010 - REACH

KENNOL LDS FLUID

Remplace version 11/04/2016

10/05/2017

FDS :961-196820-100517

Page 1 sur 12

SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

- Product name: **KENNOL LDS FLUID**

1.2. Relevant identified uses of the substance or mixture and uses advised against

- Commercial use: Power steering fluid (for more details, please report back to the technical manual)

1.3. Details of the supplier of the Safety Data Sheet

- Fournisseur **ACCOR LUBRIFIANTS SA**

Adresse : 8 Rue du Mans - BP 30406 - 49304 CHOLET CEDEX

Téléphone : 02.41.75.26.70

Télécopie : 02.41.62.67.02

Contact e-mail : emilie.auribault@accor-lubrifiants.com

1.4. Emergency telephone number

In France, the valid emergency number is the ORFILA (INRS) number: + 33 (0)1 45 42 59 59. This telephone number gives contacts of all French poison centers ("centres anti-poison et de toxicovigilance"). These information centers provide you with free medical advice (except the cost of call), 24 hours a day, 7 days a week. For the information related to other countries, see the web page dedicated to national helpdesks of the ECHA website (European Chemicals Agency) that lists all the information by country:

<http://echa.europa.eu/web/guest/support/helpdesks/national-helpdesks/list-of-national-helpdesks>

SECTION 2 - HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification CE 1272/2008 (CLP)

Human health Acute Tox. 4 H332

Asp. Tox. 1 - H304

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.



SAFETY DATA SHEET

Conforme to reglementation 453/2010 - REACH

KENNOL LDS FLUID

Remplaces version 11/04/2016

10/05/2017

FDS :961-196820-100517

Page 2 sur 12

2.2. Label elements

Label Conforms to Norm (CE) N° 1272/2008 (CLP) :

Hazard pictogram(s):



Signal word(s):

Danger

Hazard statement(s):

H304 May be fatal if swallowed and enters airways.

H332 Harmful if inhaled.

Precautionary statement(s) – Prevention

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P261 Avoid breathing vapours.

P271 Use only outdoors or in a well-ventilated area.

Precautionary statement(s) - Intervention

P301 + 310 IF SWALLOWED: immediately call a POISON CENTER or doctor/physician.

P331 Do NOT induce vomiting.

P304+ P340 IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing.

Precautionary advice- Storage

P405 Store locked up.

Precautionary advice - Elimination

P501 - Dispose of contents/container to a hazardous waste collection center, as per national regulation

2.3. Other hazards

This product does not contain any PBT or vPvB substances.



SAFETY DATA SHEET

Conforme to réglementation 453/2010 - REACH

KENNOL LDS FLUID

Remplace version 11/04/2016

10/05/2017

FDS :961-196820-100517

Page 3 sur 12

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

- Hazardous ingredients:

COMPOSANTS	Percentage (in weight)	CLP Classification (EC) No 1272/2008	NUMBERS
			INDEX CE CAS Registration
1-decene dimer hydrotreated	< 60%	Acute Tox. 4 - H332 Asp. Tox. 1 - H304	- 500-228-5 68649-11-6 01-2119493069-28
Lubricating Oil (Petroleum) C15-30 hydrotreated neutral oil-based	< 30%	Asp. Tox. 1 - H304	- 276-737-9 72623-86-0 01-2119474878-16
Hydrocarbons, C13-C16, n- alkanes, isoalkanes, cyclics, < 0.03% aromatics	< 10%	Asp. Tox. 1 - H304	- 934-954-2 - 01-2119826592-36
Highly refined mineral oil (C15 - C50)	< 5%	Asp. Tox. 1 - H304	- 276-738-4 - 01-2119474889-13
Distillates (petroleum), hydrotreated light naphthenic	< 1%	-	- 265-156-6 64742-53-6 -

The whole of the text of risk phrases and hazard statements of this section 3 appears in Section 16.

SECTION 4 - FIRST AID MEASURES

4.1. Description of first aid measures

If feeling unwell seriously or persistently, immediately seek medical attention

General information

Get medical attention if any discomfort continues.



SAFETY DATA SHEET

Conforme to reglementation 453/2010 - REACH

KENNOL LDS FLUID

Remplaces version 11/04/2016

10/05/2017

FDS :961-196820-100517

Page 4 sur 12

Inhalation

If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.

Ingestion

Get medical attention if any discomfort continues. Do not induce vomiting.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water.

Eye contact

Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing

4.2. Most important symptoms and effects, both acute and delayed

General information

If aspiration into the lungs is suspected, eg when vomiting, admit to hospital immediately.

Inhalation

Upper respiratory irritation.

Ingestion

May cause discomfort if swallowed. The product contains mineral oil, which if aspirated into the lungs through vomiting after ingestion, may result in chemical pneumonia.

Skin contact

Prolonged contact may cause redness, irritation and dry skin.

Eye contact

Irritation of eyes and mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat Symptomatically.

SECTION 5 – FIRE FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Extinguish with foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire, toxic gases (CO, CO₂, NO_x) may be formed. Fire may also create other unidentified organic gases some of which may be toxic.

Unusual Fire & Explosion Hazards

Heat from fire could result in drums bursting



SAFETY DATA SHEET

Conforme to reglementation 453/2010 - REACH

KENNOL LDS FLUID

Remplaces version 11/04/2016

10/05/2017

FDS :961-196820-100517

Page 5 sur 12

5.3. Advice for firefighters

Special Fire Fighting Procedures

Keep run-off water out of sewers and water sources. Dike for water control.

Protective equipment for fire-fighters

Self-contained breathing apparatus.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8. In case of spills, beware of slippery floors and surfaces.

6.2. Environmental precautions

Contain spillage with sand or earth. Do not allow to enter drains, sewers or watercourses. The product is insoluble in water and will spread on the water surface.

6.3. Methods and material for containment and cleaning up

Contain spillage with sand or earth. Use sealed containers for reclamation or dispose of at a licenced hazardous waste collection point.

Avoid contact with water. Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental

Agency or other appropriate regulatory body. In case of spillage on water prevent the spread by use of suitable barrier equipment

6.4. Reference to other sections

For personal protection, see section 8. See section 11 for additional information on health hazards. For waste disposal, see section 13.

SECTION 7 - HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid spilling, skin and eye contact. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.

7.2. Conditions for safe storage, including any incompatibilities

Avoid spilling, skin and eye contact. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.

7.3. Specific end use(s)



SAFETY DATA SHEET

Conforme to reglementation 453/2010 - REACH

KENNOL LDS FLUID

Remplaces version 11/04/2016

FDS :961-196820-100517

10/05/2017

Page 6 sur 12

The identified uses for this product are detailed in Section 1.2.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits

1-decene dimer hydrotreated

Long-term exposure limit (8-hour TWA): ACGIH 5 mg/m³

Lubricating Oil (Petroleum) C15-30 hydrotreated neutral oil-based

Long-term exposure limit (8-hour TWA): ACGIH 5 mg/m³

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics

Long-term exposure limit (8-hour TWA): WEL 5 mg/m³

Highly refined mineral oil (C15 - C50)

Long-term exposure limit (8-hour TWA): ACGIH 5 ppm

Short-term exposure limit (15-minute): ACGIH 10 ppm

Distillates (petroleum), hydrotreated light naphthenic

Long-term exposure limit (8-hour TWA): ACGIH 5 mg/m³

ACGIH = American Conference of Governmental Industrial Hygienists.

WEL = Workplace Exposure Limit

WEL = Workplace Exposure Limit.

ACGIH = American Conference of Governmental Industrial Hygienists.

1 - decene dimer hydrotreated (CAS : 68649 - 11 - 6)

DNEL

Industry Inhalation. Short Term Systemic Effects 60 mg/m³

Consumer Inhalation. Short Term Systemic Effects 50 mg/m³

8.2. Exposure controls

Protective equipment



Process conditions

Use engineering controls to reduce air contamination to permissible exposure level.

Engineering measures

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.



SAFETY DATA SHEET

Conforme to reglementation 453/2010 - REACH

KENNOL LDS FLUID

Remplaces version 11/04/2016

10/05/2017

FDS :961-196820-100517

Page 7 sur 12

Respiratory equipment

No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit.

Hand protection

The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection

If risk of splashing, wear safety goggles or face shield.

Other Protection

Use barrier creams to prevent skin contact.

Hygiene measures

Wash promptly with soap & water if skin becomes contaminated.

Thermal hazards

Not anticipated under normal conditions of use. The product is combustible if heated excessively and an ignition source is applied.

Environmental Exposure Controls

Do not allow product to contaminate land.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1. Appearance

Appearance	Liquid
Odour	Characteristic. Oil smell.
Solubility	Insoluble in water Soluble in: Organic solvents.
Initial boiling point and range (°C)	>320
Melting point (°C)	Not applicable.
Pour Point (°C)	-54
Relative density	0.830 @ 15.6°C
Viscosity	18.4 cSt @ 40C
Decomposition temperature (°C)	Not determined.
Flash point (°C)	136°C PM Closed cup.
Auto Ignition Temperature (°C)	Not determined



SAFETY DATA SHEET

Conforme to réglementation 453/2010 - REACH

KENNOL LDS FLUID

Remplaces version 11/04/2016

10/05/2017

FDS :961-196820-100517

Page 8 sur 12

9.2. Other information

The product is a complex mixture, the majority of which would not be classed as a VOC.

However it cannot be discounted that trace or low levels of VOC's may be present.

SECTION 10 - STABILITY AND REACTIVITY

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Unlikely to occur under normal conditions of use.

10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials To Avoid
Strong oxidising substances.

10.6. Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity :

Acute Toxicity (Oral LD50)

Not expected to be highly toxic based on information of ingredients.

Acute Toxicity (Dermal LD50)

Not expected to be highly toxic based on information of ingredients.



SAFETY DATA SHEET

Conforme to reglementation 453/2010 - REACH

KENNOL LDS FLUID

Remplaces version 11/04/2016

10/05/2017

FDS :961-196820-100517

Page 9 sur 12

Acute Toxicity (Inhalation LC50)

Not determined. The product is unlikely to present any significant inhalation hazard at ambient temperatures and under normal conditions of use.

Skin Corrosion / Irritation :

Not expected to be a skin sensitizer based on information on components..

Serious eye damage / irritation :

May cause mild, short lasting discomfort to eyes.

Respiratory or skin sensitisation :

No evidence to suggest the product will be a respiratory sensitiser. Repeated exposure to oil mists may cause respiratory damage.

Reproductive Toxicity :

No data available to suggest the product will cause reproductive toxicity.

Aspiration hazard :

Kinematic viscosity ≤ 20.5 cSt @ 40 C. The product contains mineral oil. If aspirated into the lungs e.g. through vomiting after ingestion admit to hospital immediately. Product may be considered an aspiration hazard under CLP regulations. Poses an aspiration hazard.

General information

This product has low toxicity. Only large volumes may have adverse impact on human health.

Inhalation

Unlikely to be hazardous by inhalation because of the low vapour pressure of the substance at ambient temperature.

Ingestion

No harmful effects expected in amounts likely to be ingested by accident.

Skin contact

Skin irritation is not anticipated when used normally. Repeated exposure may cause skin dryness or cracking.

Eye contact

May cause temporary eye irritation.

Specific effects

Prolonged or repeated contact with used oil may cause serious skin diseases, such as dermatitis and skin cancer.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classed as 'Dangerous to the Environment'

12.1. Toxicity



SAFETY DATA SHEET

Conforme to reglementation 453/2010 - REACH

KENNOL LDS FLUID

Remplaces version 11/04/2016

10/05/2017

FDS :961-196820-100517

Page 10 sur 12

12.2. Persistence and degradability

The product is not classed as being readily biodegradable by OECD test methods but is considered inherently biodegradable.

Stability (hydrolysis): The product is based on highly refined mineral oils that are considered stable to hydrolysis.

Biodegradation

The product is not considered readily biodegradable, albeit the major constituents are expected to ultimately biodegrade.

Biological Oxygen Demand

Not determined.

Chemical Oxygen Demand

Not determined.

12.3. Bioaccumulative potential

Bioaccumulative potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Partition coefficient

Not determined.

12.4. Mobility in soil

Mobility:

The product is non-volatile. The product is insoluble in water and will spread on the water surface.

Henry's Law Constant

Not determined.

12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB

12.6. Other adverse effects

None known.

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods



SAFETY DATA SHEET

Conforme to reglementation 453/2010 - REACH

KENNOL LDS FLUID

Remplaces version 11/04/2016

FDS :961-196820-100517

10/05/2017

Page 11 sur 12

Dispose of in accordance with local and national regulations. In the E.U. used brake fluids are classified as Hazardous Waste. EWC number: 16.01.13.

Controlled incineration or recycling is recommended. Do not dispose of to landfill or drains. It is recommended that contaminated packaging is either incinerated or cleaned and sent for recycling.

SECTION 14 - TRANSPORT INFORMATION

14.1. UN number

ADR, IMDG, IATA: Not regulated

14.2. UN proper shipping name

· **ADR**

Not regulated

· **IMDG**

Not regulated

· **IATA**

Not regulated

14.3. Transport hazard class(es)

· **ADR**

Not regulated

· **IMDG, IATA**

Not regulated

14.4. Packing group

Not regulated

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

None revelant

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code"

Not classified

SECTION 15 - REGULATORY INFORMATION



SAFETY DATA SHEET

Conforme to reglementation 453/2010 - REACH

KENNOL LDS FLUID

Remplaces version 11/04/2016

FDS :961-196820-100517

10/05/2017

Page 12 sur 12

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Be ensured that all notation or local regulations are observed.

European regulatory guidelines:

- Regulation (CE) n° 1907/2006 of the European Parliament and of the Council of 18 December 2006 for Registration, Evaluation, Authorisation and Restriction of Chemical substances, as well as as restrictions applicable to these substances (REACH), and establishing a European Chemicals Agency modifying directive 1999/45/CE and repealing Commission Regulation (CEE) n° 793/93 of Council Regulation (CE) n° 1488/94 of the Commission as well as directive 76/769/CEE of Council and directives 91/155/CEE, 93/67/CEE, 93/105/CE and 2000/21/CE of the Commission, with modifications.
- Regulation (CE) n° 1272/2008 of the European Parliament and of the Council of 16 December 2008 for classification, labelling and packaging of substances and mixtures, modifying and repealing directives 67/548/CEE and 1999/45/CE and modifying the regulation (CE) n° 1907/2006, with modifications.

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this product by the supplier.

SECTION 16 - OTHER INFORMATION

Revision date

10/05/2017

Symbols and hazard phrases used in this document section 3:

H332 Harmful if inhaled.

H304 May be fatal if swallowed and enters airways.

Since conditions or methods of use are not under our control, we assume no liability and expressly disclaim all liability for the use of this product. The information contained hereby is considered as true and accurate, but all declarations or suggestions are made without warranty of any kind, either expressed or implied, as to the accuracy of the information, the hazards associated with this product or results that could be obtained with the use of such product. The respect of all governmental, provincial and local regulations is left to the sole responsibility of the user.