

ASKING FOR ASPHALT

ECOLOGY C3 0W30

PRODUCT DESCRIPTION

KENNOL ECOLOGY C3 0W30 is a fully synthetic motor oil with limited sulfated ashes, phosphorus and sulphur content (Mid SAPS) and thus increases protection and exhaust system lifetime.

This lubricant is recommended for recent engines from BMW, MERCEDES, OPEL, CHRYSLER, MITSUBISHI, KIA, HYUNDAI, SUZUKI car makers, requiring to meet ACEA C3 norm and equipped with catalyst or particulate filters.

PROPERTIES

KENNOL ECOLOGY C3 0W30 is formulated from synthetic bases and last generation performance additives to improve the following:

FEATURES	BENEFITS
Very high fluidity	Fuel consumption savings and environmental protection. Easy starting in cold weather.
High detergent and dispersing powers	Excellent engine preservation and reduction of exhaust gas emissions.
High thermal stability	Ideal protection at high operating temperature.
Low volatility	Very low oil consumption.

SPECIFICATIONS

KENNOL ECOLOGY C3 0W30 has been developed to meet the highest international standards, including:

SAE	0W30
ACEA	C3
MB	229.31 / 229.51
BMW	LL-04
Viscosity @ 40°C (cSt)	63
Viscosity @ 100°C (cSt)	11.5
Viscosity Index	178
Viscosity CCS (cP)	5900 (at -35°C)
Density @ 20°C	0.84
Viscosity HTHS (@ 150 °C cisaillement 10 ⁶ s-1) (cP)	3.6
Pour Point, (°C)	-45
Flash Point, (°C)	>230
Volatility Noack 1H at 250°C (%m)	8.1
TBN (mg KOH/g)	7.4

KENNOL ECOLOGY C3 0W30 has been conceived to develop the potential of modern vehicles rationalizing energies and emissions through research and technology. Because this product was born on the track.

Direct download here : http://www.kennol.com/EN/FT/KENNOL_ECOLOGY_C3_0W30_EN.pdf

All products may not be available locally. For more information, contact your distributor or visit www.kennol.com. Due to continual and extensive product Research and Development, the information contained herein is subject to change without notification. Typical properties may vary slightly, but not significantly.

© 2016 KENNOL. All rights reserved.