

TOURING 10W30

PRODUCT DESCRIPTION

KENNOL TOURING 10W30 is a multi-grade high performance oil designed for recent gasoline engines (turbocharged, injection, with or without overhead camshaft) of passenger cars and light vans in various or severe service conditions (city or highway driving, high rotation speeds, "stop/start" system)

PROPERTIES

KENNOL TOURING 10W30 is formulated from high quality bases combined with modern performance additives to provide with special features, such as :

| FEATURES | BENEFITS |
|-----------------------------------|---------------------------------------|
| Antiwear and detergent properties | Extends engine life |
| Low viscosity at low temperatures | Reduces wear at cold start |
| High dispersing power | Allows complete safety in urban drive |

SPECIFICATIONS

KENNOL TOURING 10W30 has been developed to meet the highest international standards, including :

| | |
|--|----------------|
| SAE | 10W30 |
| API | SN/CF |
| ACEA | A3/B4 |
| MB | 229.1 |
| Viscosity @ 40°C (cSt) | 72 |
| Viscosity @ 100°C (cSt) | 11 |
| Viscosity Index | 140 |
| Viscosity CCS (cP) | 6500 (@ -25°C) |
| Density @ 20°C | 0,88 |
| Viscosity HTHS (at 150 °C under high shear 10 ⁶ s-1) (cP) | > 3.5 |
| Pour Point (°C) | < -30 |
| Flash Point (°C) | > 180 |
| TBN (mg KOH/g) | 10,3 |

KENNOL TOURING 10W30 has been mainly developed to answer the needs of drivers asking for an alternative solution with their petrol or diesel engine. Because this product was born on the track.

Direct download here : http://www.kennol.com/FT/KENNOL_TOURING_10W30_EN.pdf

All products may not be available locally. For more information, contact your distributor or visit www.kennol.com. Due to continual and extensive product Research and Development, the information contained herein is subject to change without notification. Typical properties may vary slightly, but not significantly.

© 2017 KENNOL. All rights reserved.